



Ref. Certif. No.

JPTUV-058905-M2

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

SYSTEME CEI D'ACCEPTATION MUTUELLE DE CERTIFICATS D ESSAIS DES EQUIPEMENTS ELECTRIQUES (IECEE) METHODE OC

CB TEST CERTIFICATE

CERTIFICAT D'ESSAI OC

Product
Produit

Switching Power Supply

Name and address of the applicant
Nom et adresse du demandeur

Cosel Co., Ltd.
1-6-43 Kamiakae-machi
Toyama-shi, Toyama, 930-0816 Japan

Name and address of the manufacturer
Nom et adresse du fabricant

Cosel Co., Ltd.
1-6-43 Kamiakae-machi
Toyama-shi, Toyama, 930-0816 Japan

Name and address of the factory
Nom et adresse de l usine

See additional page(s)

Ratings and principal characteristics
Valeurs nominales et caracteristiques principales

AC 100-240 V; 50-60 Hz; 0.6 A (for Model PLA50F-5)
AC 100-240 V; 50-60 Hz; 0.7 A
(for all Models except for Model PLA50F-5)
Class I

Trademark (if any)
Marque de fabrique (si elle existe)

COSEL

Type of Manufacturer s Testing Laboratories used
Type de programme du laboratoire d'essais constructeur

N/A

Model / Type Ref
Ref. de type

PLA50F-x-y
x = 5, 12, 15, 24
y = C, G, V, T, J, J1, N1, N2 or blank

Additional information (if necessary may also be reported on page 2)
Les informations complementaires (si necessaire peuvent etre indiquees sur la 2^{eme} page)

For model differences, refer to the test report.
Re-issue of JPTUV-058905-M1 dated 23.06.2016, due to second modification.

A sample of the product was tested and found to be in conformity with
Un echantillon de ce produit a ete essaye et a ete considere conforme a la

IEC 60950-1:2005+A1+A2
See Test Report for National Differences

As shown in the Test Report Ref No which forms part of this Certificate
Comme indique dans le Rapport d'essais numero de reference qui constitue partie de ce Certificat

50016252 003

This CB Test Certificate is issued by the National Certification Body
Ce Certificat d'essai OC est etabli par l'Organisme National de Certification



TÜV Rheinland Japan Ltd.
Global Technology Assessment Center
4-25-2 Kita-Yamata, Tsuzuki-ku
Yokohama 224-0021 Japan
Phone + 81 45 914-3888
Fax + 81 45 914-3354
Mail info@jpn.tuv.com
Web: www.tuv.com

Date 14.11.2016

Signature

Dipl.-Ing. (FH) M. Geiser


1. Cosel Co., Ltd.
Tateyama Factory
78 Dogenji, Tateyama-machi
Nakanikawa-gun, Toyama
930-0241 Japan
2. Taiyo Denshi Kogyo Co., Ltd.
6-215-1 Tsukioka-machi
Toyama-shi, Toyama
939-8132 Japan
3. Kyousei Corp.
501-1-2 Nakaookubo
Toyama-shi, Toyama
939-2243 Japan
4. Cosel Co., Ltd.
Toyama Factory
1-6-43 Kamiakae-machi
Toyama-shi, Toyama
930-0816 Japan
5. Daiyon Corp.
1-18 Zoushima, Fuchu-machi,
Toyama-shi, Toyama
939-2726 Japan
6. Wuxi Tianhao Electron Co., Ltd.
5th Floor, Building A3
Liyuan Development Zone
Wuxi, Jiangsu 214072
P.R. China
7. Takanami Co., Ltd.
2000-39 Hirokami
Imizu-shi, Toyama
939-0256 Japan
8. Eikoku Co., Ltd.
Toyama Satellite Factory
223 Nakajinzu Yatsuo-Machi
Toyama-shi, Toyama
939-2311 Japan
9. Eikoku Co., Ltd.
45-6 Nishida Kaneoke, Kokufu-cho
Takayama-shi, Gifu
509-4123 Japan

Additional information (if necessary)
Information complémentaire (si nécessaire)

Report Ref. No.: 50016252 003

Date: 14.11.2016

Signature:


Dipl.-Ing. (FH) M. Geiser



Ref. Certif. No.

JPTUV-058905-M1

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

SYSTEME CEI D'ACCEPTATION MUTUELLE DE CERTIFICATS D ESSAIS DES EQUIPEMENTS ELECTRIQUES (IECEE) METHODE OC

CB TEST CERTIFICATE

CERTIFICAT D'ESSAI OC

Product
Produit

Switching Power Supply

Name and address of the applicant
Nom et adresse du demandeur

Cosel Co., Ltd.
1-6-43 Kamiakae-machi
Toyama-shi, Toyama, 930-0816 Japan

Name and address of the manufacturer
Nom et adresse du fabricant

Cosel Co., Ltd.
1-6-43 Kamiakae-machi
Toyama-shi, Toyama, 930-0816 Japan

Name and address of the factory
Nom et adresse de l'usine

See additional page(s)

Ratings and principal characteristics
Valeurs nominales et caractéristiques principales

AC 100-240 V; 50-60 Hz; 0.6 A (for Model PLA50F-5)
AC 100-240 V; 50-60 Hz; 0.7 A
(for all Models except for Model PLA50F-5)
Class I
COSEL

Trademark (if any)
Marque de fabrique (si elle existe)

COSEL

Type of Manufacturer's Testing Laboratories used
Type de programme du laboratoire d'essais constructeur

N/A

Model / Type Ref.
Ref. de type

PLA50F-x-y
x = 5, 12, 15, 24
y = C, G, V, T, J, J1, N1, N2 or blank

Additional information (if necessary may also be reported on page 2)
Les informations complémentaires (si nécessaire, peuvent être indiqués sur la 2^{ème} page)

For model differences, refer to the test report.
Re-issue of JPTUV-058905 dated 24.09.2014,
due to first modification.

A sample of the product was tested and found to be in conformity with
Un échantillon de ce produit a été essayé et a été considéré conforme à la

IEC 60950-1:2005+A1+A2
National differences see test report

As shown in the Test Report Ref. No. which forms part of this Certificate
Comme indiqué dans le Rapport d'essais numéro de référence qui constitue partie de ce Certificat

50016252 002

This CB Test Certificate is issued by the National Certification Body
Ce Certificat d'essai OC est établi par l'Organisme National de Certification



TÜV Rheinland Japan Ltd.
Global Technology Assessment Center
4-25-2 Kita-Yamata, Tsuzuki-ku
Yokohama 224-0021 Japan
Phone + 81 45 914-3888
Fax + 81 45 914-3354
Mail: info@jpn.tuv.com
Web: www.tuv.com

Date: 23.06.2016

Signature:  Dipl.-Ing. (FH) M. Geiser


1. Cosel Co., Ltd.
Tateyama Factory
78 Dogenji, Tateyama-machi
Nakaniiikawa-gun, Toyama
930-0241 Japan
2. Taiyo Denshi Kogyo Co., Ltd.
6-215-1 Tsukioka-machi
Toyama-shi, Toyama
939-8132 Japan
3. Kyousei Corp.
501-1-2 Nakaookubo
Toyama-shi, Toyama
939-2243 Japan
4. Cosel Co., Ltd.
Toyama Factory
1-6-43 Kamiakae-machi
Toyama-shi, Toyama
930-0816 Japan
5. Daiyon Corp.
1-18 Zoushima, Fuchu-machi,
Toyama-shi, Toyama
939-2726 Japan
6. Wuxi Tianhao Electron Co., Ltd.
5th Floor, Building A3
Liyuan Development Zone
Wuxi, Jiangsu 214072
P.R. China
7. Takanami Co., Ltd.
2000-39 Hirokami
Imizu-shi, Toyama
939-0256 Japan
8. Eikoku Co., Ltd.
Toyama Satellite Factory
223 Nakajinzu Yatsuo-Machi
Toyama-shi, Toyama
939-2311 Japan
9. Eikoku Co., Ltd.
45-6 Nishida Kaneoke, Kokufu-cho
Takayama-shi, Gifu
509-4123 Japan

Additional information (if necessary)
Information complémentaire (si nécessaire)

Report Ref. No.: 50016252 002

Date: 23.06.2016

Signature:


Dipl.-Ing. (FH) M. Geiser

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST
CERTIFICATES FOR ELECTRICAL EQUIPMENT
(IECEE) CB SCHEMESYSTEME CEI D'ACCEPTATION MUTUELLE DE
CERTIFICATS D ESSAIS DES EQUIPEMENTS
ELECTRIQUES (IECEE) METHODE OC

CB TEST CERTIFICATE

CERTIFICAT D'ESSAI OC

Product
Produit

Switching Power Supply

Name and address of the applicant
Nom et adresse du demandeurCosel Co., Ltd.
1-6-43 Kamiakae-machi
Toyama-shi, Toyama, 930-0816 JAPANName and address of the manufacturer
Nom et adresse du fabricantCosel Co., Ltd.
1-6-43 Kamiakae-machi
Toyama-shi, Toyama, 930-0816 JAPANName and address of the factory
Nom et adresse de l'usine

See additional page(s)

Ratings and principal characteristics
Valeurs nominales et caractéristiques principalesAC 100-240V; 50-60Hz; 0.6A (for Model PLA50F-5)
AC 100-240 V; 50-60 Hz; 0.7A
(for all Models except for Model PLA50F-5)
Class ITrademark (if any)
Marque de fabrique (si elle existe)

COSEL

Type of Manufacturer's Testing Laboratories used
Type de programme du laboratoire d'essais constructeur

N/A

Model / Type Ref.
Ref. de typePLA50F-x-y
x = 5, 12, 15, 24
y = C, G, V, T, J, J1, N1, N2 or blankAdditional information (if necessary may also be
reported on page 2)
Les informations complémentaires (si nécessaire,
peuvent être indiqués sur la 2^{ème} page)

For model differences, refer to the test report.

A sample of the product was tested and found
to be in conformity with
Un échantillon de ce produit a été essayé et a été
considéré conforme à laIEC 60950-1:2005+A1+A2
National differences see test reportAs shown in the Test Report Ref. No. which forms part
of this Certificate
Comme indiqué dans le Rapport d'essais numéro de
référence qui constitue partie de ce Certificat

50016252 001

This CB Test Certificate is issued by the National Certification Body
Ce Certificat d'essai OC est établi par l'Organisme National de Certification

TÜVRheinland®

TÜV Rheinland Japan Ltd.
Global Technology Assessment Center
4-25-2 Kita-Yamata, Tsuzuki-ku
Yokohama 224-0021 Japan
Phone + 81 45 914-3888
Fax + 81 45 914-3354
Mail: info@jpn.tuv.com
Web: www.tuv.com

Date: 24.09.2014

Signature:

Masahiro Hisamune

1. Cosel Co., Ltd.
Tateyama Factory
78 Dogenji, Tateyama-machi
Nakaniiikawa-gun, Toyama
930-0241 JAPAN
2. Taiyo Denshi Kogyo Co., Ltd.
6-215-1 Tsukioka-machi
Toyama-shi, Toyama
939-8132 JAPAN
3. Eikoku Co., Ltd.
1587 Nabari, Kokufu-cho
Takayama-shi, Gifu
509-4122 JAPAN
4. Kyousei Corp.
501-1-2 Nakaookubo
Toyama-shi, Toyama
939-2243 JAPAN
5. Cosel Co., Ltd.
Toyama Factory
1-6-43 Kamiakae-machi
Toyama-shi, Toyama
930-0816 JAPAN
6. Daiyon Corp.
1-18 Zoushima, Fuchu-machi,
Toyama-shi, Toyama
939-2726 JAPAN
7. Wuxi Tianhao Electron Co., Ltd.
5th Floor, Building A3
Liyuan Development Zone
Wuxi, Jiangsu 214072
P.R. China
8. Takanami Co., Ltd.
2000-39 Hirokami
Imizu-shi, Toyama
939-0256 JAPAN
9. Eikoku Co., Ltd.
Toyama Satellite Factory
223 Nakajinzu Yatsuo-Machi
Toyama-shi, Toyama
939-2311 JAPAN

Additional information (if necessary)
Information complémentaire (si nécessaire)

Report Ref. No.: 50016252 001



Date: 24.09.2014

Signature: Masahiro Hisamune