



® TM

Ref. Certif. No.

JPTUV-057071-M3

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

CB TEST CERTIFICATE

Product	Power Supply
Name and address of the applicant	Cosel Co., Ltd. 1-6-43 Kamiakae-machi Toyama-shi, Toyama, 930-0816 Japan
Name and address of the manufacturer	Cosel Co., Ltd. 1-6-43 Kamiakae-machi Toyama-shi, Toyama, 930-0816 Japan
Name and address of the factory	See additional page(s)
Ratings and principal characteristics	Input: AC 100-240 V; 50-60 Hz; 12 A max; Class I Output: refer to the test report
Trademark (if any)	COSEL
Customer's Testing Facility (CTF) Stage used	N/A
Model / Type Ref.	AC9-xxxxxx-y-H, AC9-2D2D2D-00-HXASA (x = A, B, C, D, E, F, G, H, J, K, L, M, N, O, P, R, Y, W, Z, 9, Q or V; xx = 2A, 2B, 2C, 2D, 2E, 2F, 2G, 2H, 2J or 2K; y = 00 to 09 or 0A to 0F or 10 to 19 or 1A to 1F) May be followed by suffix K
Additional information (if necessary may also be reported on page 2)	For model differences, refer to the test report. Re-issue of JPTUV-057071-M2 dated 31.08.2021, due to third modification.
A sample of the product was tested and found to be in conformity with	IEC 60601-1:1988+A1+A2
As shown in the Test Report Ref. No. which forms part of this Certificate	50007543 004

This CB Test Certificate is issued by the National Certification Body



TÜV Rheinland Japan Ltd.  
Global Technology Assessment Center  
4-25-2 Kita-Yamata, Tsuzuki-ku  
Yokohama 224-0021, Japan  
Phone + 81 45 914-3888  
Fax + 81 45 914-3354  
Mail: info@jpn.tuv.com  
Web : www.tuv.com

Date: 2023-07-10

Signature:

Tatsuhiko Nakada

10081 CB 06/2019 JK

1. Cosel Co., Ltd.  
Tateyama Factory  
78 Dogenji, Tateyama-machi  
Nakaniiikawa-gun, Toyama  
930-0241 Japan
2. Kyousei Corp.  
501-1-2 Nakaookubo  
Toyama-shi, Toyama  
939-2243 Japan
3. Cosel Co., Ltd.  
Toyama Factory  
1-6-43 Kamiakae-machi  
Toyama-shi, Toyama  
930-0816 Japan
4. Daiyon Corp.  
1-18 Zoushima, Fuchu-machi,  
Toyama-shi, Toyama  
939-2726 Japan
5. Takanami Co., Ltd.  
2000-39 Hirokami  
Imizu-shi, Toyama  
939-0256 Japan
6. Eikoku Co., Ltd.  
Toyama Satellite Factory  
223 Nakajinzu Yatsuo-Machi  
Toyama-shi, Toyama  
939-2311 Japan
7. Eikoku Co., Ltd.  
45-6 Nishida Kaneoke, Kokufu-cho  
Takayama-shi, Gifu  
509-4123 Japan

**Additional information (if necessary)**

Report Ref. No. : 50007543 004

Date: 2023-07-10

Signature:



Tatsuhiko Nakada



Ref. Certif. No.

JPTUV-057071-M2

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

## CB TEST CERTIFICATE

Product	Power Supply
Name and address of the applicant	Cosel Co., Ltd. 1-6-43 Kamiakae-machi Toyama-shi, Toyama, 930-0816 Japan
Name and address of the manufacturer	Cosel Co., Ltd. 1-6-43 Kamiakae-machi Toyama-shi, Toyama, 930-0816 Japan
Name and address of the factory	See additional page(s)
Ratings and principal characteristics	Input: AC 100-240V; 50-60Hz; 12A max; Class I Output: refer to the test report
Trademark (if any)	COSEL
Customer's Testing Facility (CTF) Stage used	N/A
Model / Type Ref.	AC9-xxxxxx-y-H, AC9-2D2D2D-00-HXASA (x = A, B, C, D, E, F, G, H, J, K, L, M, N, O, P, R, Y, W, Z, 9, Q or V; xx = 2A, 2B, 2C, 2D, 2E, 2F, 2G, 2H, 2J or 2K; y = 00 to 09 or 0A to 0F or 10 to 19 or 1A to 1F) May be followed by suffix K
Additional information (if necessary may also be reported on page 2)	For model differences, refer to the test report. Re-issue of JPTUV-057071-M1 dated 29.05.2018, due to second modification.
A sample of the product was tested and found to be in conformity with	IEC 60601-1:1988+A1+A2
As shown in the Test Report Ref. No. which forms part of this Certificate	50007543 003

This CB Test Certificate is issued by the National Certification Body



TÜVRheinland®

TÜV Rheinland Japan Ltd.  
Global Technology Assessment Center  
4-25-2 Kita-Yamata, Tsuzuki-ku  
Yokohama 224-0021, Japan  
Phone + 81 45 914-3888  
Fax + 81 45 914-3354  
Mail: info@jpn.tuv.com  
Web : www.tuv.com

*K. Yoshimura*

Date: 2021-08-31

Signature:

Kenji Yoshimura

1. Cosel Co., Ltd.  
Tateyama Factory  
78 Dogenji, Tateyama-machi  
Nakaniiikawa-gun, Toyama  
930-0241 Japan
2. Kyousei Corp.  
501-1-2 Nakaookubo  
Toyama-shi, Toyama  
939-2243 Japan
3. Cosel Co., Ltd.  
Toyama Factory  
1-6-43 Kamiakae-machi  
Toyama-shi, Toyama  
930-0816 Japan
4. Daiyon Corp.  
1-18 Zoushima, Fuchu-machi,  
Toyama-shi, Toyama  
939-2726 Japan
5. Takanami Co., Ltd.  
2000-39 Hirokami  
Imizu-shi, Toyama  
939-0256 Japan
6. Eikoku Co., Ltd.  
Toyama Satellite Factory  
223 Nakajinzu Yatsuo-Machi  
Toyama-shi, Toyama  
939-2311 Japan
7. Eikoku Co., Ltd.  
45-6 Nishida Kaneoke, Kokufu-cho  
Takayama-shi, Gifu  
509-4123 Japan

**Additional information (if necessary)**

Report Ref. No. : 50007543 003

Date: 2021-08-31

Signature:

*K. Yoshimura*

Kenji Yoshimura



Ref. Certif. No.

JPTUV-057071-M1

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST  
CERTIFICATES FOR ELECTRICAL EQUIPMENT  
(IECEE) CB SCHEME

SYSTEME CEI D'ACCEPTATION MUTUELLE DE  
CERTIFICATS D'ESSAIS DES EQUIPEMENTS  
ELECTRIQUES (IECEE) METHODE OC

## CB TEST CERTIFICATE

## CERTIFICAT D'ESSAI OC

Product  
Produit

Power Supply

Name and address of the applicant  
Nom et adresse du demandeur

Cosel Co., Ltd.  
1-6-43 Kamiakae-machi  
Toyama-shi, Toyama, 930-0816 Japan

Name and address of the manufacturer  
Nom et adresse du fabricant

Cosel Co., Ltd.  
1-6-43 Kamiakae-machi  
Toyama-shi, Toyama, 930-0816 Japan

Name and address of the factory  
Nom et adresse de l'usine

See additional page(s)

Ratings and principal characteristics  
Valeurs nominales et caractéristiques principales

Input: AC 100-240V; 50-60Hz; 12A max; Class I  
Output: refer to the test report

Trademark (if any)  
Marque de fabrique (si elle existe)

COSEL

Type of Manufacturer's Testing Laboratories used  
Type de programme du laboratoire d'essais constructeur

N/A

Model / Type Ref.  
Ref. de type

AC9-xxxxxx-y-H, AC9-2D2D2D-00-HXASA  
( x = A, B, C, D, E, F, G, H, J, K, L, M, N, O, P, R, Y, W,  
Z, 9, Q or V,  
xx = 2A, 2B, 2C, 2D, 2E, 2F, 2G, 2H, 2J or 2K,  
y = 00 to 09 or 0A to 0F or 10 to 19 or 1A to 1F)  
May be followed by suffix K  
For model differences, refer to the test report.

Additional information (if necessary may also be  
reported on page 2)  
Les informations complémentaires (si nécessaire,  
peuvent être indiqués sur la 2<sup>ème</sup> page)

Re-issue of JPTUV-057071 dated 30.06.2014,  
due to first modification

A sample of the product was tested and found  
to be in conformity with  
Un échantillon de ce produit a été essayé et a été  
considéré conforme à la

IEC 60601-1:1988+A1+A2  
See Test Report for National Differences

As shown in the Test Report Ref. No. which forms part  
of this Certificate  
Comme indiqué dans le Rapport d'essais numéro de  
référence qui constitue partie de ce Certificat

50007543 002

This CB Test Certificate is issued by the National Certification Body  
Ce Certificat d'essai OC est établi par l'Organisme National de Certification



TÜVRheinland®

TÜV Rheinland Japan Ltd.  
Global Technology Assessment Center  
4-25-2 Kita-Yamata, Tsuzuki-ku  
Yokohama 224-0021 Japan  
Phone + 81 45 914-3888  
Fax + 81 45 914-3354  
Mail: info@jpn.tuv.com  
Web: www.tuv.com

Date: 29.05.2018

Signature:

Tatsuhiko Nakada

1. Cosel Co., Ltd.  
Tateyama Factory  
78 Dogenji, Tateyama-machi  
Nakaniikawa-gun, Toyama  
930-0241 Japan
2. Kyousei Corp.  
501-1-2 Nakaookubo  
Toyama-shi, Toyama  
939-2243 Japan
3. Cosel Co., Ltd.  
Toyama Factory  
1-6-43 Kamiakae-machi  
Toyama-shi, Toyama  
930-0816 Japan
4. Cosel U.S.A. Inc.  
1546 Montague Expressway  
San Jose, CA 95131  
USA
5. Daiyon Corp.  
1-18 Zoushima, Fuchu-machi,  
Toyama-shi, Toyama  
939-2726 Japan
6. Takanami Co., Ltd.  
2000-39 Hirokami  
Imizu-shi, Toyama  
939-0256 Japan
7. Eikoku Co., Ltd.  
Toyama Satellite Factory  
223 Nakajinzu Yatsuo-Machi  
Toyama-shi, Toyama  
939-2311 Japan
8. Eikoku Co., Ltd.  
45-6 Nishida Kaneoke, Kokufu-cho  
Takayama-shi, Gifu  
509-4123 Japan

**Additional information (if necessary)**  
**Information complémentaire (si nécessaire)**

Report Ref. No.: 50007543 002

Date: 29.05.2018

Signature:

Tatsuhiko Nakada



Ref. Certif. No.

JPTUV-057071

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST  
CERTIFICATES FOR ELECTRICAL EQUIPMENT  
(IECEE) CB SCHEME

SYSTEME CEI D'ACCEPTATION MUTUELLE DE  
CERTIFICATS D'ESSAIS DES EQUIPEMENTS  
ELECTRIQUES (IECEE) METHODE OC

**CB TEST CERTIFICATE****CERTIFICAT D'ESSAI OC**

Product  
Produit

Power Supply

Name and address of the applicant  
Nom et adresse du demandeur

Cosel Co., Ltd. Tateyama Factory  
78 Dogenji, Tateyama-machi  
Nakanikawa-gun, Toyama, 930-0241 JAPAN

Name and address of the manufacturer  
Nom et adresse du fabricant

Cosel Co., Ltd. Tateyama Factory  
78 Dogenji, Tateyama-machi  
Nakanikawa-gun, Toyama, 930-0241 JAPAN

Name and address of the factory  
Nom et adresse de l'usine

See additional page(s)

Ratings and principal characteristics  
Valeurs nominales et caractéristiques principales

Input: AC 100-240V; 50-60Hz; 12A max; Class I  
Output: refer to the test report

Trademark (if any)  
Marque de fabrique (si elle existe)

COSEL

Type of Manufacturer's Testing Laboratories used  
Type de programme du laboratoire d'essais constructeur

N/A

Model / Type Ref.  
Ref. de type

AC9-xxxxxx-y-H, AC9-2D2D2D-00-HXASA  
(x = A, B, C, D, E, F, G, H, J, K, L, M, N, O, P, R, Y, W,  
Z, 9, Q or V,  
xx = 2A, 2B, 2C, 2D, 2E, 2F, 2G, 2H, 2J or 2K,  
y = 00 to 09 or 0A to 0F or 10 to 19 or 1A to 1F)  
For details refer to the test report.  
For model differences, refer to the test report.

Additional information (if necessary may also be  
reported on page 2)  
Les informations complémentaires (si nécessaire,  
peuvent être indiqués sur la 2<sup>ème</sup> page)

A sample of the product was tested and found  
to be in conformity with  
Un échantillon de ce produit a été essayé et a été  
considéré conforme à la

IEC 60601-1:1988+A1+A2  
National differences see test report

As shown in the Test Report Ref. No. which forms part  
of this Certificate  
Comme indiqué dans le Rapport d'essais numéro de  
référence qui constitue partie de ce Certificat

50007543 001

This CB Test Certificate is issued by the National Certification Body  
Ce Certificat d'essai OC est établi par l'Organisme National de Certification

**TÜVRheinland®**

TÜV Rheinland Japan Ltd.  
Global Technology Assessment Center  
4-25-2 Kita-Yamata, Tsuzuki-ku  
Yokohama 224-0021 Japan  
Phone + 81 45 914-3888  
Fax + 81 45 914-3354  
Mail: info@jpn.tuv.com  
Web: www.tuv.com

Date: 30.06.2014

Signature:

Carol Chiu

1. Cosel Co., Ltd.  
Tateyama Factory  
78 Dogenji, Tateyama-machi  
Nakanikawa-gun, Toyama  
930-0241 JAPAN
2. Taiyo Denshi Kogyo Co., Ltd.  
6-215-1 Tsukioka-machi  
Toyama-shi, Toyama  
939-8132 JAPAN
3. Eikoku Co., Ltd.  
1587 Nabari, Kokufu-cho  
Takayama-shi, Gifu  
509-4122 JAPAN
4. Kyousei Corp.  
501-1-2 Nakaookubo  
Toyama-shi, Toyama  
939-2243 JAPAN
5. Cosel Co., Ltd.  
Toyama Factory  
1-6-43 Kamiakae-machi  
Toyama-shi, Toyama  
930-0816 JAPAN
6. Cosel U.S.A. Inc.  
1546 Montague Expressway  
San Jose, CA 95131  
USA
7. Daiyon Corp.  
1-18 Zoushima, Fuchu-machi,  
Toyama-shi, Toyama  
939-2726 JAPAN
8. Takanami Co., Ltd.  
2000-39 Hirokami  
Imizu-shi, Toyama  
939-0256 JAPAN
9. Eikoku Co., Ltd.  
Toyama Satellite Factory  
223 Nakajinzu Yatsuo-Machi  
Toyama-shi, Toyama  
939-2311 JAPAN

**Additional information (if necessary)**  
**Information complémentaire (si nécessaire)**

Report Ref. No.: 50007543 001



Date: 30.06.2014

Signature:

Carol Chiu