


| DATA SHEET | | Date | 19-Oct-06 |
|------------|--|-----------|------------|
| Model | SFLS30482R5 | Temp. | 25 degreeC |
| Test | EMI Line conduction & Radiated emission | Humid. | 45 %RH |
| | | Tested by | Y.Tamura |

LINE CONDUCTION

Model Name : SFLS30482R5
 Model No. :
 Serial No. :
 Points : 1
 Detector : PEAK/QP/Ave.
 Line Mode : VB
 Power Supply : DC48V
 Temp. : 25
 Limit1: [CISPR Pub11] Class A Gr.1(QP)
 Limit2: [CISPR Pub11] Class A Gr.1(Ave.)

Humi. : 45
 Date : 2006/10/19 22:23
 Test Equip. : R3132,ESPC
 Load Line : 100mm
 Comment : Y.Tamura
 Vin=48V
 Io=10A




| Frequency [MHz] | Meter Reading (Ave.) [dBμV] | Meter Reading (QP) [dBμV] | Factor [dB] | Level(Ave.) [dBμV] | Level(QP) [dBμV] | Line | Limit(Ave.) [dBμV] | Limit(QP) [dBμV] | Margin(Ave.) [dB] | Margin(QP) [dB] |
|-----------------|-----------------------------|---------------------------|-------------|--------------------|------------------|------|--------------------|------------------|-------------------|-----------------|
| 0.5095 | 40.7 | 40.5 | 9.9 | 50.6 | 50.4 | VB | 60 | 73 | 9.4 | 22.6 |

RADIATED EMISSION

Model Name : SFLS30482R5
 Model No. :
 Serial No. :
 Points : 1
 Detector : PEAK/QP
 Polarization : Vertical
 Power Supply : DC48V
 Temp. : 25
 Limit: [CISPR 11] Class A Group 1<3m>


Humi. : 45
 Date : 2006/10/19 22:44
 Test Equip. : R3132,ESPC
 Load Line : 100mm
 Comment : Y.Tamura
 Vin=48V
 Io=10A



| Frequency [MHz] | Meter Reading (QP) [dBμV] | Ant. Type | Antenna Factor [dB/m] | Cable & Preamp [dB] | Level(QP) [dBμV/m] | Angle [°] | Height [cm] | Polar. | Limit [dBμV/m] | Margin [dB] |
|-----------------|---------------------------|-----------|-----------------------|---------------------|--------------------|-----------|-------------|--------|----------------|-------------|
| 30.269 | 54.7 | BL | 18.1 | -32.3 | 40.5 | 245 | 100 | Vert. | 50 | 9.5 |

| DATA SHEET | | Date | 19-Oct-06 |
|------------|--|-----------|------------|
| Model | SFLS30482R5 | Temp. | 25 degreeC |
| Test | EMI Line conduction & Radiated emission | Humid. | 45 %RH |
| | | Tested by | Y.Tamura |

1. Line conduction



2. Radiated emission

