



***** Cosmos Corp. *****
<<< Conducted Emission >>>

12 December, 1996 09:27

Page 1

Model : UAW500S-12
Serial No. : 6422394
Standard : EN55022 Class B
Condition File : EN55022
 : Operated
Remark :
 :
 :
 :
AC Power : 230 V 50 Hz
Temperature : 7 deg.
Humidity : 70 %
Operator : H.Wakabayashi

----- Results -----

No.	Frequency [MHz]	Reading		c.f. [dB]	Result		Limit		Margin	
		QP [dBuV]	AV [dBuV]		QP [dBuV]	AV [dBuV]	QP [dBuV]	AV [dBuV]	QP [dB]	AV [dB]
Phase L1										
1	0.16351	52.8	44.8	9.9	62.7	54.7	65.3	55.3	2.6	0.6
2	0.32817	33.0	29.9	9.8	42.8	39.7	59.5	49.5	16.7	9.8
3	0.49333	21.9	20.8	10.0	31.9	30.8	56.1	46.1	24.2	15.3
4	0.99014	23.1	21.5	9.9	33.0	31.4	56.0	46.0	23.0	14.6
5	20.43115	37.4	36.9	10.5	47.9	47.4	60.0	50.0	12.1	2.6
6	25.53636	18.5	17.7	10.5	29.0	28.2	60.0	50.0	31.0	21.8




Cosmos Corp.
EMC Labo.

<<< Conducted Emission >>>

Date: 12 December, 1996

Model : UAW500S-12
Serial No. : 6422394
Remarks :

Standard : EN55022 Class B
Operator : H.Wakabayashi





Cosmos Corp.
EMC Labo.

<<< Conducted Emission >>>

Date: 12 December, 1996

Model : UAW500S-12
Serial No. : 6422394
Remarks :

Standard : EN55022 Class B
Operator : H.Wakabayashi

