

***** Cosmos Corp. *****

<<< Conducted Emission >>>

11 December, 1996 15:18

Page 1

Model : UAW500S-5
 Serial No. : 6272150
 Standard : EN55022 Class B
 Condition File : EN55022
 Remark : Operated
 :
 :
 :
 AC Power : 230 V 50 Hz
 Temperature : 14 deg.
 Humidity : 58 %
 Operator : H.Wakabayashi

----- Results -----

No.	Frequency [MHz]	Reading		c.f. [dB]	Result		Limit		Margin	
		QP [dBuV]	AV [dBuV]		QP [dBuV]	AV [dBuV]	QP [dBuV]	AV [dBuV]	QP [dB]	AV [dB]
Phase N										
1	0.15096	32.1	11.4	9.9	42.0	21.3	65.9	55.9	23.9	34.6
2	0.23055	15.4	-3.8	9.8	25.2	6.0	62.4	52.4	37.2	46.4
3	0.34622	32.1	30.7	9.8	41.9	40.5	59.1	49.1	17.2	8.6
4	0.51652	24.5	22.9	10.0	34.5	32.9	56.0	46.0	21.5	13.1
5	0.85970	16.0	14.7	9.9	25.9	24.6	56.0	46.0	30.1	21.4
6	0.91079	-3.4	-8.1	9.9	6.5	1.8	56.0	46.0	49.5	44.2
7	1.35316	-3.5	-8.1	9.9	6.4	1.8	56.0	46.0	49.6	44.2
8	2.22571	-3.4	-8.0	9.9	6.5	1.9	56.0	46.0	49.5	44.1
9	7.05268	24.8	23.3	10.3	35.1	33.6	60.0	50.0	24.9	16.4
10	7.74178	26.9	26.2	10.3	37.2	36.5	60.0	50.0	22.8	13.5
11	20.98578	24.3	20.1	10.5	34.8	30.6	60.0	50.0	25.2	19.4
12	28.38370	23.3	15.4	10.6	33.9	26.0	60.0	50.0	26.1	24.0

***** Cosmos Corp. *****
 <<< Conducted Emission >>>

11 December, 1996 15:43
 Page 1

Model : UAW500S-5
 Serial No. : 6272150
 Standard : EN55022 Class B
 Condition File : EN55022
 Remark : Operated
 :
 :
 :
 AC Power : 230 V 50 Hz
 Temperature : 14 deg.
 Humidity : 58 %
 Operator : H.Wakabayashi

----- Results -----

No.	Frequency [MHz]	Reading		c.f. [dB]	Result		Limit		Margin	
		QP [dBuV]	AV [dBuV]		QP [dBuV]	AV [dBuV]	QP [dBuV]	AV [dBuV]	QP [dB]	AV [dB]
Phase L1										
1	0.15556	31.2	7.1	9.9	41.1	17.0	65.7	55.7	24.6	38.7
2	0.17292	49.6	42.4	9.9	59.5	52.3	64.8	54.8	5.3	2.5
3	0.22310	18.7	-4.2	9.8	28.5	5.6	62.7	52.7	34.2	47.1
4	0.34533	29.6	28.3	9.8	39.4	38.1	59.1	49.1	19.7	11.0
5	0.51699	22.0	18.6	10.0	32.0	28.6	56.0	46.0	24.0	17.4
6	1.89506	19.1	17.7	9.9	29.0	27.6	56.0	46.0	27.0	18.4
7	2.58527	17.0	16.6	10.0	27.0	26.6	56.0	46.0	29.0	19.4
8	7.74358	26.9	26.1	10.3	37.2	36.4	60.0	50.0	22.8	13.6
9	20.81239	7.8	-3.3	10.5	18.3	7.2	60.0	50.0	41.7	42.8
10	29.94551	27.2	23.6	10.7	37.9	34.3	60.0	50.0	22.1	15.7




Date: 11 December, 1996

<<< Conducted Emission >>>

Cosmos Corp.
EMC Labo.

Standard : EN55022 Class B
Operator : H.Wakabayashi

Model : UAW500S-5
Serial No. : 6272150
Remarks :




Cosmos Corp.
EMC Labo.

<<< Conducted Emission >>>

Date: 11 December, 1996

Model : UAW500S-5
Serial No. : 6272150
Remarks :

Standard : EN55022 Class B
Operator : H.Wakabayashi



Cosmos Corp.
EMC Labo.

<<< Conducted Emission >>>

Date/Time: 11 December, 1996 15:04

Model : UAW500S-5
Serial No. : 6272150
Remarks :

Standard : EN55022 Class B
Operator : H.Wakabayashi


<peak>

<Limit Line>

--- QP
--- AV

Limit :
EN22-B

<Data>
Line Phase
N




Cosmos Corp.
EMC Labo.

<<< Conducted Emission >>>

Date/Time: 11 December,1996 15:21

Model : UAW500S-5
Serial No. : 6272150
Remarks :

Standard : EN55022 Class B
Operator : H.Wakabayashi



<peak>

<Limit Line>

—— QP
- - - - AV

Limit :
EN22_B

<Data>

Line Phase
L1