



EXTRA TEST DATA OF GHA700F-12-J1

Regulated DC Power Supply
Aug, 20, 2024

COSEL CO.,LTD.






CONTENTS

1.Inrush Current (enlargement)	1
2.Dynamic Line Regulation	2
3.Power Consumption (by Input Voltage)	3
4.Figure of Testing Circuitry	4

(Final Page 4)




COSEL

Model	GHA700F-12-J1	Temperature Testing Circuitry	25°C A
Item	Inrush Current (enlargement)		
Object	_____		



COSEL

Model	GHA700F-12-J1	Temperature Testing Circuitry A	25°C
Item	Dynamic Line Regulation		
Object	_____		





Model	GHA700F-12-J1R3	Temperature 25°C Testing Circuitry - Load : 0%														
Item	Input voltage - Power consumption															
Object	_____															
1.Graph																
<p>The graph plots Power consumption [W] on the Y-axis (0.00 to 10.00) against Input Voltage [V] on the X-axis (50 to 300). The data points show a decreasing trend as input voltage increases.</p> <table border="1"><thead><tr><th>Input voltage [V]</th><th>Power consumption [W]</th></tr></thead><tbody><tr><td>85</td><td>2.59</td></tr><tr><td>100</td><td>1.56</td></tr><tr><td>115</td><td>1.25</td></tr><tr><td>200</td><td>1.07</td></tr><tr><td>230</td><td>1.11</td></tr><tr><td>264</td><td>1.17</td></tr></tbody></table>			Input voltage [V]	Power consumption [W]	85	2.59	100	1.56	115	1.25	200	1.07	230	1.11	264	1.17
Input voltage [V]	Power consumption [W]															
85	2.59															
100	1.56															
115	1.25															
200	1.07															
230	1.11															
264	1.17															

Reducing standby power is possible by OFF signal of the remote control.


COSEL

Figure A