



## ***EXTRA TEST DATA OF LFA100F-36***

*Regulated DC Power Supply*  
*Oct, 13, 2020*




**COSEL CO.,LTD.**


## CONTENTS


1.Inrush Current (enlargement) . . . . .	1
2.Dynamic Line Regulation . . . . .	2
3.Overvoltage Protection (waveform) . . . . .	3
4.Power consumption by remote off . . . . .	4
5.Figure of Testing Circuitry . . . . .	5



(Final Page 5)

Model	LFA100F-36	Temperature 25°C Testing Circuitry A	
Item	Inrush Current (enlargement)		
Object	_____		







Model	LFA100F-36-R																
Item	Power consumption by remote off	Temperature	25°C														
Object		Testing Circuitry	-														
1.Graph		2.Values															
 <p>Test result of other output voltage product would be same as this result.</p>		<table><tr><th>Input voltage [V]</th><th>Power consumption [W]</th></tr><tr><td>85</td><td>1.03</td></tr><tr><td>100</td><td>1.01</td></tr><tr><td>115</td><td>0.98</td></tr><tr><td>200</td><td>1.43</td></tr><tr><td>230</td><td>1.63</td></tr><tr><td>264</td><td>2.00</td></tr></table>		Input voltage [V]	Power consumption [W]	85	1.03	100	1.01	115	0.98	200	1.43	230	1.63	264	2.00
Input voltage [V]	Power consumption [W]																
85	1.03																
100	1.01																
115	0.98																
200	1.43																
230	1.63																
264	2.00																
Model	LFA100F-36-R2																
1.Graph		2.Values															
 <p>Test result of other output voltage product would be same as this result.</p>		<table><tr><th>Input voltage [V]</th><th>Power consumption [W]</th></tr><tr><td>85</td><td>0.10</td></tr><tr><td>100</td><td>0.14</td></tr><tr><td>115</td><td>0.19</td></tr><tr><td>200</td><td>0.59</td></tr><tr><td>230</td><td>0.78</td></tr><tr><td>264</td><td>1.06</td></tr></table>		Input voltage [V]	Power consumption [W]	85	0.10	100	0.14	115	0.19	200	0.59	230	0.78	264	1.06
Input voltage [V]	Power consumption [W]																
85	0.10																
100	0.14																
115	0.19																
200	0.59																
230	0.78																
264	1.06																

- 4 -

BC-11484




Figure A