



EXTRA TEST DATA OF LFA150F-15

Regulated DC Power Supply
Oct, 26, 2020

COSEL CO.,LTD.






CONTENTS

1.Inrush Current (enlargement)	1
2.Dynamic Line Regulation	2
3.Overboltage Protection (waveform)	3
4.Power consumption by remote off	4
5.Figure of Testing Circuitry	5




(Final Page 5)

Model	LFA150F-15	Temperature Testing Circuitry Object	25°C A
Item	Inrush Current (enlargement)		
Object	—		






Model	LFA150F-15
Item	Dynamic Line Regulation
Object	_____

Temperature 25°C
Testing Circuitry A




Model	LFA150F-15	Temperature 25°C Testing Circuitry A Input Voltage : 100V
Item	Over Voltage Protection	
Object	_____	

Output
Voltage
[5V/div]Load : 0%
Overvoltage protection
value : 19.7VTime
[40ms/div]Output
Voltage
[5V/div]Load : 100%
Overvoltage protection
value : 19.7VTime
[20ms/div]

Model	LFA150F-15-R	Temperature	25°C
Item	Power consumption by remote off	Testing Circuitry	-
Object	_____		

1.Graph



Test result of other output voltage product would be same as this result.


2.Values

Input voltage [V]	Power consumption [W]
85	1.41
100	1.48
115	1.50
200	1.83
230	2.17
264	2.37

Model

LFA150F-15-R2

1.Graph



2.Values

Input voltage [V]	Power consumption [W]
85	0.11
100	0.15
115	0.20
200	0.65
230	0.87
264	1.16

Test result of other output voltage product would be same as this result.




Figure A