



## ***EXTRA TEST DATA OF LFA240F-36***

*Regulated DC Power Supply*  
*Nov, 02, 2020*

**COSEL CO.,LTD.**




## CONTENTS

1.Inrush Current (enlargement) . . . . .	1
2.Dynamic Line Regulation . . . . .	2
3.Overvoltage Protection (waveform) . . . . .	3
4.Power consumption by remote off . . . . .	4
5.Figure of Testing Circuitry . . . . .	5

(Final Page 5)



		Temperature     25°C Testing Circuitry   A
Model	LFA240F-36	
Item	Inrush Current (enlargement)	
Object	_____	






		Temperature     25°C Testing Circuitry   A
Model	LFA240F-36	
Item	Dynamic Line Regulation	
Object	_____	

Input Voltage  
[200V/div]

Output Voltage  
[50mV/div]




Input Voltage :  
100V ⇔ 200V  
Frequency : 50Hz  
Load : 100%

Time  
[400ms/div]



Input Voltage  
[200V/div]

Output Voltage  
[50mV/div]



Input Voltage :  
200V ⇔ 100V  
Frequency : 50Hz  
Load : 100%


Time  
[400ms/div]



		Temperature 25°C Testing Circuitry A Input Voltage : 100V
Model	LFA240F-36	
Item	Over Voltage Protection	
Object	_____	

Output  
Voltage  
[10V/div]

GND




Load : 0%  
Overvoltage protection  
value : 47.5V

Time  
[40ms/div]


Output  
Voltage  
[10V/div]



GND



Load : 100%  
Overvoltage protection  
value : 47.5V

Time  
[20ms/div]



Model	LFA240F-36-R																
Item	Power consumption by remote off	Temperature	25°C														
Object	_____	Testing Circuitry	-														
1.Graph		2.Values															
 <p>Test result of other output voltage product would be same as this result.</p>		<table><tr><th>Input voltage [V]</th><th>Power consumption [W]</th></tr><tr><td>85</td><td>1.99</td></tr><tr><td>100</td><td>1.73</td></tr><tr><td>115</td><td>1.48</td></tr><tr><td>200</td><td>1.48</td></tr><tr><td>230</td><td>1.64</td></tr><tr><td>264</td><td>1.86</td></tr></table>		Input voltage [V]	Power consumption [W]	85	1.99	100	1.73	115	1.48	200	1.48	230	1.64	264	1.86
Input voltage [V]	Power consumption [W]																
85	1.99																
100	1.73																
115	1.48																
200	1.48																
230	1.64																
264	1.86																
Model	LFA240F-36-R2																
1.Graph		2.Values															
 <p>Test result of other output voltage product would be same as this result.</p>		<table><tr><th>Input voltage [V]</th><th>Power consumption [W]</th></tr><tr><td>85</td><td>0.10</td></tr><tr><td>100</td><td>0.14</td></tr><tr><td>115</td><td>0.19</td></tr><tr><td>200</td><td>0.61</td></tr><tr><td>230</td><td>0.81</td></tr><tr><td>264</td><td>1.10</td></tr></table>		Input voltage [V]	Power consumption [W]	85	0.10	100	0.14	115	0.19	200	0.61	230	0.81	264	1.10
Input voltage [V]	Power consumption [W]																
85	0.10																
100	0.14																
115	0.19																
200	0.61																
230	0.81																
264	1.10																

- 4 -

BC-11494

