



EXTRA TEST DATA OF LHA50F-5

*Regulated DC Power Supply
Feb 20, 2021*

COSEL CO.,LTD.



CONTENTS

1.Inrush Current (enlargement)	1
2.Dynamic Line Regulation	2
3.Overtoltage Protection (waveform)	3
4.Hiccup cycle (by Overcurrent Protection)	4
5.Figure of Testing Circuitry	5

(Final Page 5)





COSEL


Model	LHA50F-5		
Item	Inrush Current (enlargement)	Temperature	25°C
Object	_____	Testing Circuitry	A



COSEL

Model	LHA50F-5	Temperature	25°C
Item	Dynamic Line Regulation	Testing Circuitry	A
Object	_____		




COSEL

COSEL

		Temperature 25°C Testing Circuitry A Load : Short
Model	LHA50F-5	
Item	Short Circuit Current	
Object	_____	

Output
Current
[2A/div]



Input Voltage : 100V


Short-circuit
current : 14.1A

ON Time : 195ms

Short circuit
period : 1530ms

Time
[400ms/div]

Output
Current
[2A/div]




Input Voltage : 230V

Short-circuit
current : 14.2A

ON Time : 195ms

Short circuit
period : 1525ms

Time
[400ms/div]






Figure A