



EXTRA TEST DATA OF LHA75F-12

*Regulated DC Power Supply
Feb 20, 2021*

COSEL CO.,LTD.






CONTENTS

1.Inrush Current (enlargement)	1
2.Dynamic Line Regulation	2
3.Ovvervoltage Protection (waveform)	3
4.Hiccup cycle (by Overcurrent Protection)	4
5.Figure of Testing Circuitry	5

(Final Page 5)




COSEL

Model	LHA75F-12	Temperature Testing Circuitry Object	25°C A
Item	Inrush Current (enlargement)		
Object	_____		



COSEL

Model	LHA75F-12	Temperature Testing Circuitry Object	25°C A
Item	Dynamic Line Regulation		
Object	_____		




COSEL


Model	LHA75F-12	Temperature 25°C
Item	Over Voltage Protection	Testing Circuitry A
Object	_____	Input Voltage : 100V

Output
Voltage
[2V/div]

GND




Load : 0%
Overvoltage protection
value : 15.4VTime
[40ms/div]Output
Voltage
[2V/div]

GND

Load : 100%
Overvoltage protection
value : 15.4VTime
[20ms/div]

COSEL

Model	LHA75F-12	Temperature	25°C
Item	Short Circuit Current	Testing Circuitry	A
Object	_____	Load	: Short




COSEL

Figure A