



| DATA SHEET | | Date | 01-Sep-16 |
|------------|--|-----------|------------|
| Model | PJA100F-15 | Temp. | 25 degreeC |
| Test | EMI Line conduction & Radiated emission | Humid. | 40 %RH |
| | | Tested by | K.Murai |




| Frequency MHz | Line Phase | Reading dB(μV) | | Factor dB | Level dB(μV/m) | | Limit dB(μV/m) | | Margin dB | | Pass/Fail | Remark |
|------------------|---------------|-------------------|------|--------------|-------------------|------|-------------------|------|--------------|-----|-----------|--------|
| | | QP | AV | | QP | AV | QP | AV | QP | AV | | |
| 0.17182 | VB | 35.6 | 26.4 | 20.1 | 55.7 | 46.5 | 64.9 | 54.9 | 9.2 | 8.4 | Pass | |
| 0.17107 | VA | 34.2 | 25.5 | 20.1 | 54.3 | 45.6 | 64.9 | 54.9 | 10.6 | 9.3 | Pass | |



| Frequency MHz | Polariz ation | Stabili ty | Reading dB(μV) | Space Loss dB | Level dB(mW) | Limit dB(mW) | Margin dB | Pass/Fail | Height cm | Angle deg | Remark |
|------------------|------------------|---------------|-------------------|---------------------|-----------------|-----------------|--------------|-----------|--------------|--------------|--------|
| | | | QP | | QP | QP | QP | | | | |
| 30.067 | V | Stable | 46.6 | -13.5 | 33.1 | 40 | 6.9 | Pass | 101 | 224 | |
| 40.806 | V | Stable | 46.1 | -15.5 | 30.6 | 40 | 9.4 | Pass | 134 | 241 | |
| 63.243 | V | Stable | 54.4 | -23.1 | 31.3 | 40 | 8.7 | Pass | 101 | 227 | |

| DATA SHEET | | Date | 01-Sep-16 |
|------------|--|-----------|------------|
| Model | Circuit used for measurement | Temp. | 25 degreeC |
| Test | EMI Line conduction & Radiated emission | Humid. | 40 %RH |
| | | Tested by | K.Murai |

1. Line conduction



2. Radiated emission

