


## RADIATED EMISSION

Model Name : YAS1005E  
Model No. :  
Serial No. :  
Detector : PEAK  
Bands : 8  
Polarization : Hori. & Vert.

Temperature : 25deg C  
Humidity : 50%  
Comment : AC 230V LOAD 100%  
Date : 1999/1/12 20:09  
EMI Receiver(s) : R3261A

Limit1: [EN 55022] Class B<3m>




Frequency [MHz]	Meter Reading [dBμV]	Antenna Factor [dB]	Cable Loss [dB]	Level [dBμV/m]	Angle [°]	Height [cm]	Pola.	Limit [dBμV/m]	Margin [dB]
53.832	49.5	6.1	-23.3	32.3	145	119	Vert.	40.0	7.7

# RADIATED EMISSION

Model Name : YAS1005E  
Model No. :  
Serial No. :  
Detector : QP  
Points : 1  
Polarization : Vertical

Temperature : 25deg C  
Humidity : 50%  
Comment : AC 230V LOAD 100%  
Date : 1999/1/12 20:09  
EMI Receiver(s) : ESPC

Limit1: [EN 55022] Class B<3m>



Frequency [MHz]	Meter Reading [dBμV]	Antenna Factor[dB]	Cable Loss[dB]	Level [dBμV/m]	Angle[°]	Height [cm]	Pola.	Limit [dBμV/m]	Margin [dB]
53.832	49.5	6.1	-23.3	32.3	145	119	Vert.	40.0	7.7

## LINE CONDUCTION

Model Name : YAS1005E

Model No. :

Serial No. :

Detector : PEAK

Bands : 4

Line Mode : VA/VB

Limit1: [EN 55022] Class B(QP)

Limit2: [EN 55022] Class B(Ave.)


Temperature : 25deg C

Humidity : 50%

Comment : AC230V,LOAD 100%

Date : 1999/1/8 15:00

EMI Receiver(s) : R3261A



Frequency [MHz]	Meter Reading (QP) [dBμV]	Meter Reading (Ave.) [dBμV]	Factor [dB]	Level (QP) [dBμV]	Level (Ave.) [dBμV]	Line	Limit (QP) [dBμV]	Limit (Ave.) [dBμV]	Margin (QP)[dB]	Margin (Ave.) [dB]
9.4968	30.8	30.3	10.4	41.2	40.7	VA	60.0	50.0	18.8	9.3
0.1538	31.1	13.8	10.3	41.4	24.1	VB	65.8	55.8	24.4	31.7
0.1911	36.9	25.9	10.3	47.2	36.2	VB	64.0	54.0	16.8	17.8

# LINE CONDUCTION

Model Name : YAS1005E

Model No. :

Serial No. :

Detector : QP/Ave.

Points : 3

Line Mode : VA/VB

Limit1: [EN 55022] Class B(QP)

Limit2: [EN 55022] Class B(Ave.)


Temperature : 25deg C

Humidity : 50%

Comment : AC230V,LOAD 100%

Date : 1999/1/8 15:00

EMI Receiver(s) : ESPC



Frequency [MHz]	Meter Reading (QP) [dBμV]	Meter Reading (Ave.) [dBμV]	Factor [dB]	Level (QP) [dBμV]	Level (Ave.) [dBμV]	Line	Limit (QP) [dBμV]	Limit (Ave.) [dBμV]	Margin (QP)[dB]	Margin (Ave.) [dB]
9.4968	30.8	30.3	10.4	41.2	40.7	VA	60.0	50.0	18.8	9.3
0.1538	31.1	13.8	10.3	41.4	24.1	VB	65.8	55.8	24.4	31.7
0.1911	36.9	25.9	10.3	47.2	36.2	VB	64.0	54.0	16.8	17.8