

## RADIATED EMISSION

Model Name : YAS512E

Temperature : 25deg C

Model No. :

Humidity : 50%

Serial No. :

Comment : AC 230V, LOAD 100%

Detector : PEAK


Date : 1999/1/11 21:36

Bands : 3

EMI Receiver(s) : R3261A

Polarization : Hori. &amp; Vert.

Limit1: [EN 55022] Class B&lt;3m&gt;



Frequency [MHz]	Meter Reading [dBμV]	Antenna Factor [dB]	Cable Loss [dB]	Level [dBμV/m]	Angle [°]	Height [cm]	Pola.	Limit [dBμV/m]	Margin [dB]
44.283	49.2	10.5	-25.1	34.6	275	101	Vert.	40.0	5.4

## RADIATED EMISSION

Model Name : YAS512E

Model No. :

Serial No. :

Detector : QP

Points : 1

Polarization : Vertical

Limit1: [EN 55022] Class B&lt;3m&gt;


Temperature : 25deg C

Humidity : 50%

Comment : AC 230V, LOAD 100%

Date : 1999/1/11 21:36

EMI Receiver(s) : ESPC



Frequency [MHz]	Meter Reading [dBμV]	Antenna Factor[dB]	Cable Loss[dB]	Level [dBμV/m]	Angle[°]	Height [cm]	Pola.	Limit [dBμV/m]	Margin [dB]
44.283	49.2	10.5	-25.1	34.6	275	101	Vert.	40.0	5.4

## LINE CONDUCTION

Model Name : YAS512E

Model No. :

Serial No. :

Detector : PEAK

Bands : 4

Line Mode : VA/VB

Limit1: [EN 55022] Class B(QP)

Limit2: [EN 55022] Class B(Ave.)


Temperature : 25

Humidity : 50%

Comment : AC 230V LOAD 100%

Date : 1999/1/11 19:05

EMI Receiver(s) : R3261A



Frequency [MHz]	Meter Reading (QP) [dBμV]	Meter Reading (Ave.) [dBμV]	Factor [dB]	Level (QP) [dBμV]	Level (Ave.) [dBμV]	Line	Limit (QP) [dBμV]	Limit (Ave.) [dBμV]	Margin (QP)[dB]	Margin (Ave.) [dB]
0.9938	29.6	29.3	10.1	39.7	39.4	VA	56.0	46.0	16.3	6.6
18.6570	34.1	31.2	10.7	44.8	41.9	VA	60.0	50.0	15.2	8.1

## LINE CONDUCTION

Model Name : YAS512E

Model No. :

Serial No. :

Detector : QP/Ave.

Points : 2

Line Mode : VA

Limit1: [EN 55022] Class B(QP)

Limit2: [EN 55022] Class B(Ave.)


Temperature : 25

Humidity : 50%

Comment : AC 230V LOAD 100%

Date : 1999/1/11 19:05

EMI Receiver(s) : ESPC



Frequency [MHz]	Meter Reading (QP) [dBμV]	Meter Reading (Ave.) [dBμV]	Factor [dB]	Level (QP) [dBμV]	Level (Ave.) [dBμV]	Line	Limit (QP) [dBμV]	Limit (Ave.) [dBμV]	Margin (QP)[dB]	Margin (Ave.) [dB]
0.9938	29.6	29.3	10.1	39.7	39.4	VA	56.0	46.0	16.3	6.6
18.6570	34.1	31.2	10.7	44.8	41.9	VA	60.0	50.0	15.2	8.1